

PRODUCT DATA SHEET

Part number 537404

EAN 4015609166886

Manufacturer WALTHER-WERKE

WEEE-Reg.-Number: DE 22131895

Product description

Waterproof panel socket angled 32A 4P 4h with flange 90x75mm



Similar image



Detailed product description

WALTHER Panel socket 32A 4P 110V 4h IP67
 made from PA6 material
 angled
 finger-safe in accordance with BGV A3
 with soft transitions radius from flange to collar
 flange center 66x80mm
 fixing center 40x68mm

Ordering Information

Order unit	Piece
Customs number	85366990
Net weight	0,273 kg
Packing quantity (VPE)	10
Length of the packaging	
Width of the packaging	
Depth of the packaging	
Gross weight(VPE)	2,73 kg

Certificates

VDE certification	123021	
EAC certification	BY112.02.01.020 06089	


Classification system

Classification system	ETIM_6.0
ETIM Class	EC001317

Technical product data

IEC-amperage	32 A
Amperage acc. UL/CSA (for UL-version)	30 A
Number of poles	4
Voltage acc. EN 60309-2	110 V (50+60 Hz) yellow
Clock hour position	4 h
Identification colour	Yellow
RAL-number	1018
Degree of protection (IP)	IP67
Connection system	Screwed terminal
Angle of plug	Angled
Material	Plastic
Military model	False
Flange size vertical	66 mm
Drill hole distance vertical	40 mm
Flange size horizontal	80 mm
Drill hole distance horizontal	68 mm

Dimension sheet



Amp.	16		32			63
Pole	4	5	3	4	5	5
a	60	60	60	60	70	90
b	60	60	60	60	60	90
c	5,5	5,5	5,5	5,5	5,5	6,5
d	75	85	90	90	95	114
e	75	75	75	75	80	114
f	52	52	56	56	60	72
h	60	68	67	67	76	86
m	-/-	2	-/-	-/-	2,5	2,5
n	38	38	47	47	47	82
p	9	9	9	9	9	6
r	7,5	8	7,5	7,5	8,5	10
s	-/-	30	-/-	-/-	35	45
u	81	88	96	96	103	110
y	62	-/-	71	71	-/-	-/-
z	64	73	76	76	83	94